





1.1



1.2



1.2.1.

1

2021 9 1

2

2021 4 29


3

591 2013 12 7

645

4





22

2020 1 2020 5 30

23

()

[202

2021 5 16

24

[2016]11 2016 7 6

25

<

>

2017 5 2017 9 13

26

[2012]144 2012 8 30

8E E U. @ U Q Ó D B Ъ Ъ

>

[2017]22 2017 11 28

28

341 2021

5 518

J

29

2017 45 2017 12 23

30


2018 21

2018 8 / 7 8E E U. @ U Q Ó D B Ъ Ъ

E E Ъ E. Δ E Ъ ,

Σ J Δ

J Δ J Δ @



1.2.2.

1	GB50156-2021
2	GB6944-2012
3	GB 12268-2012
4	GB 18218-2018
5	GB 17914 2013
6	GB 15603-2022
7	GB 55036-2022)
8	GB 55037-2022)
9	GB 50058-2014
10	AQ 3009-2007
11	GB 6441-1986
12	GB/T 13861-2022
13	GB 50016-2014 2018
14	GB 50140-2005
15	GB 50057-2010
16	GB 12158-2006
17	GB/T 50610-2010
18	AQ 3045-2013
19	GB20952-2020
20	GB 50395-2007
21	GB/T 29639-2020
22	(GB/T12801-2008)
23	(GB5083-1999)
24	AQ/T 9007-2019
25	(AQ 3010 2022)
26	AQ 3018-2008
27	GB30871-2022

28	(XF/T 3004 2020)	
29	AQ 8001-2007	
30	GB/T 13869-2017	
31	-	SH/T
3178-2015		

1.2.3.


1	2005	4	
2			2002
11			
3		2003	7

1.3


1			
2			
3			
4			
5			

1.4



1-1



Item	Value	Unit
1	69%	
2	78%	
3	61%	
4	101.2Kpa	
5	755.4mm	
6	3.2m/s	
7	23m/s	
8	28.3d	
9	25.0cm	
10	1.40m	
11	6	
12	0.10g	
13	2.3	
14	15m	
15	39.5m	
16	21.5m	
17	39m	
18	1	
19	1	



Ä



				3	14.8
	S105			3	51.5
	H=6			5	10
	H=6m		-	5	10
				5	14
	S105			5	53

	0.5	0.5	0.5	0.5	-	-	-	-	-	-	-	-	-	-	3	7
	0.5	0.5	0.5	0.5	-	-	-	-	-	-	-	-	-	-	2	7
	-	-	-	-	-	-	-	-	-	-	-	-	3	13	2	8.5
	-	-	-	-	-	-	-	-	-	-	-	-	2	13	2	8.5
	7	83	6	89	7	95.5	6	95.5	7	39	6	39	-	-	-	-
	7	60	6	66	7	72.5	6	72.5	7	21.5	6	34	-	-	-	-
	4	18	3	24	4	33.5	3.5	33.5	5	15	5	29	5	16.5	-	-

2.4

2-3

1			140.98m ²			
2			422m ²			H=6m
3			395.52m ²			
4			5m ²			-

2-4

1		2	20m ³	-	SF
2		2	40m ³	-	SF
3		2	52QF211K		
4		2	52QF211K		
5		4	TLS2		
6		4	UZK-SA-LD		-
7		13		-	4 5 4m 4 3m
8		1	ZZ26P		

(+150Pa)

150Pa

2-2

2-3

2-4

2-5

2-6



c.

3

4

380/220V

TN-S

UPS

5

;g

Ø

5

„

¢

¥ 0

802. 9B@10 Ó n,x ,99BI 9B@10 Bn(C@ €99BC, >9

56

6

8kg

1

4kg

8kg

2

4kg

Q 6

3.

$Q_1 \quad Q_2 \dots Q_n$ ————— t
 3

3.1.3

23

≤

60

3-1

	3-1	
1		200t
2		5000t

40m³,

0.75,

30t

80m³,

0.89,

71.2t

$S=30/200+71.2/5000=0.16424<1$

,

3.2

3.2.1

2*

1B

2

1

-

2

-

2

1630

E10

92

95

98

3

=1

0.72

0.775

=1

3

5 0 -10 60 -20
50 -35 -50 45

15min



10

3.2.2

1

2

3 Å



1

1

2

3

4

5

6

3

4


3.3.2

1

2

3

3.3.3



4.

4.1

.

5.

7

5-1

	1		
	2		
	3		
	4		
	5		

	1		
	2		
	3		
	4		
	5		
	1		
	2		
	3		
	4		
	5		

	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	1		
	2		
	3		
	1		
	1		
	2	GB/T29639-2020	
	3		
	1		
	2		
	3		

2021 5 17

1

GB50156-2021
3.0.4

2

GB50156 3.0.9

GB50156-2021
3.0.9 40m³

3

GB50156-2021
3.0.25

4

	1.2m ³			
	100mm 1.2m			
	6	GB50156-2021 (5.0.7		
	7	GB50156-2021 5.0.8		
	8 300m ²	GB50156-2021 5.0.9		
	9 4.0.4 “ ” “ ”	GB50156-2021 5.0.10	1 21.5m 1 39m 4.0.4	
	10	GB50156-2021 5.0.11		
	11 2.2m 4.0.4 1.5 25m	GB50156-2021 5.0.12		

			SH/T3178
5			
	$10^9\Omega$		
	$10^9\Omega$		SF
		GB50156-2021	
		6.1.7	
	$A=0.04V_t$		
6.			SF
	11.2	GB50156-2021	
		6.1.8	
			SF
7			
		GB50156-2021	
		6.1.9	
8			

	0.5m 0.9m 0.3m	GB50156-2021 6.1.12		
	11	GB50156-2021 6.1.13		
	12	GB50156-2021 6.1.14		
	13 90% 95%	GB50156-2021 6.1.15		
	14	GB50156-2021 6.1.16		
	0.8L/h 15	GB50156-2021 6.1.17	SF	
	SH 3022			
	1	GB50156-2021 6.2.1		
	2 50L/min	GB50156-2021 6.2.2	5-50L/min	
	3			

GB50156-2021

6.2.3

4

GB50156-2021

6.2.4

5


GB50156-2021

6.2.5

1

J

	5	GB50156-2021 6.3.5		
	6	GB50156-2021 6.3.6		
	7			
	50mm		50mm	
	1.0 1.2	GB50156-2021 6.3.7		
	25mm			
			25mm	



200mm

150mm

GB50156-2021

6.3.8

45°

200mm

150mm

9

4m

2

	4mm 4mm $10^{10}\Omega$ $10^8\Omega\cdot m$ 100kV		4mm $10^8\Omega\cdot m$ $10^{10}\Omega$	
	13	GB50156-2021 6.3.13		
	14	GB50156-2021 6.3.14		
	15 2‰ 1%	GB50156-2021 6.3.15	2‰ 1%	
	16 0.4m 0.2m 100mm	GB50156-2021 6.3.17	0.5m 0.2m	

			0.5m
17			
		GB50156-2021	
		6.3.18	
18			
	6.3.12		
1	2.8m/s		
2		GB50156-2021	
		6.3.19	
19			
	GB/T21447	GB50156-2021	
		6.3.20	
20			
			SF
		GB50156-2021	
		6.5.1	
21			
	GB50108		
	200mm		
	500mm		

22

100mm

4mm

200mm

SF

GB50156-2021

6.5.3

10mm 30mm

23

GB50156-2021

6.5.4

24

6.3

4



1

Đ© Ó§H Xb 0

	2	GB50156-2021 12.3.3		
	1	AQ3010-2022 4.4		
	2	AQ3010-2022 4.4		
	3 “ ” ,	XF/T 3004-2020 8.1		
	4 “ ” “ ”	XF/T 3004-2020 8.4		

	1	GB50156-2021 13.1.1		
	2 380/220V	GB50156-2021 13.1.2	380/220V	

3

90min

GB50156-2021

13.1.3

90min

4

4.5m

5m

3

LPG

GB50156-2021

13.2.4

4



0.65mm

0.5mm

0.7mm

, Ď m "

9

GB50156-2021
13.2.11

10

5

GB50156-2021
13.2.12

11

GB50156-2021


GB50156-2021

3


6.1.2.2.2

1

6.1.1.1



2



UPS

	3.	GB50156-2021 13.5.4		
--	----	------------------------	--	--

	1	140kw	GB50156-2021 14.1.3	
	2m			
	2	12 5 2	GB50156-2021 14.1.4	
	300cm²/m²			

	12	GB50156-2021 14.2.16		
	1	GB50156-2021 14.3.1		

6.

1

i

6

“

”

“

”

6

7

8

â

у

9

10

“

”

11

7.

GB50156-2021

1.

GB50058-2014

1 0

2 1

3 2

2.

1

3.

1

1

1


2

4.5m

0.15m

3m

2



4.

2

1

0

2

1.5m

0.5m

1

3

3m

1.5m

2


5.

3

1

0

2



Ů ((Ț n m " Ⱥ m